

| WATER MANAGEMENT CONT' | | YES | NO | N/A | Comments / Details |
|-----------------------------------|---|-------------------------------------|-------------------------------------|-------------------------------------|--------------------|
| 02.04.03 | Are employees regularly reminded to save water? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 02.04.04 | Is grey water recycled and treated appropriately before use? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 02.04.05 | Are energy saving taps (e.g. mixer or temperature controlled) fitted to ensure water is delivered at the temperature it is required? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 02.04.06 | Are low flush WCs fitted or water saving devices installed into WCs? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| | Do irrigation systems for the hotel grounds and gardens have any of the following features : | | | | |
| 02.04.07 | Use treated waste water | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| 02.04.08 | Have timing devices fitted to minimise operating times or have a procedure to follow for manual watering. | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 02.04.09 | Have moisture sensors fitted to ensure they water on demand | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| 02.04.10 | Work on a system that delivers water to plants below soil level | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| WASTE WATER MANAGEMENT | | YES | NO | N/A | Comments/Details |
| 02.05.01 | Is all waste water discharged from your business treated to meet national regulatory standards? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| | Does the establishment dispose of all waste water to: | | | | |
| 02.05.02 | On-lot septic tanks/soakaways | <input checked="" type="checkbox"/> | <input type="checkbox"/> | | |
| 02.05.03 | Package treatment plants | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | |
| 02.05.04 | Connections to public sewers, effluent conveyed to waste water treatment plant | <input type="checkbox"/> | <input checked="" type="checkbox"/> | | |
| 02.05.05 | Sewage treatment lagoon system | <input type="checkbox"/> | <input checked="" type="checkbox"/> | | |
| 02.05.06 | Any other (please specify) | <input type="checkbox"/> | <input checked="" type="checkbox"/> | | |
| WASTE MINIMISATION AND MANAGEMENT | | YES | NO | N/A | Comments/Details |
| 02.06.01 | Is the business compliant with national waste regulations? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 02.06.02 | Is the business actively engaged in achieving a reduction in the volume of solid waste produced (this also cuts associated waste disposal costs)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | | |
| 02.06.03 | Does the business know where the solid waste it generates is disposed of? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | | |
| 02.06.04 | Are there facilities in the destination to recycle solid waste? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | | |